CENTURA

Raynor Innovations Series™ THE ULTIMATE IN DESIGN CHOICES

DURAB



16' x 8' Centura Baypoint in White with Dimensions Colonial and Ranch Windows



DELUXE + 3-LAYER CONSTRUCTION

SAFETY

Ш

S T

z o

⊢ ∢

S U L

Ζ

Ш

ш

S

Centura™ TIMELESS STYLE

The Raynor Centura adds instant curb appeal to any home. But appearance is only half the story. Superior engineering makes timeless Centura doors as dependable as they are stylish.

Centura doors are available in 3 standard and 12 optional door designs. Please see pages 6-7 for design choices.



			the state of the s	and the second	The second secon
명명명명명명명		17-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2		명 변수적 변수적 단직	

2" Thick Sections

Centura's 2" thick door sections are made from strong, rust-resistant, 24-gauge embossed galvanized steel and are coated with a baked-on polyester paint finish for long life. Baked-on finish D Epoxy primer Galvanized layer High-strength steel Polyurethane insulation High-strength steel Calculation C High-strength steel C High-strength ste

Colors




Optional

Raynor's Opticolor paint process allows your Centura door to be customized with more than 1800 Sherwin-Williams colors.



*Features the Kynar® paint process, which provides extended UV protection against fading.



Hardware



Centura doors feature galvanized steel track and hardened steel wheel, ball bearing rollers for smooth, reliable operation.

Carriage House Panel Options



Centura features maintanence-free carriage house designs for steel doors. Add optional decorative hardware to complete the look. See page 7 for details.

Deluxe Warranty

Door Sections:

"For As Long As You Own Your Home" against rust

Hardware/Springs: 5-Year

CENTURA

Find your local Raynor Dealer at www. raynor.com

Centura Features

BUILT TO BE WORRY FREE



18' x 7' Centura Highcrest with standard White Interior Finish and Cascade Colonial and Ranch Snap-In Windows



Insulation, through our innovative process, fills 100% of the door's interior

space. The energy-saving polyurethane core delivers an exceptional 18 R-value and helps to reduce noise.

• Door sections are constructed from hot-dipped galvanized steel and coated with a baked-on, fade-resistant polyester finish for maximum durability, rust-resistance and color retention.

Rollers with steel wheels and hardend ball bearings provide smooth, quiet operation.

Springs are designed to precisely match each door's weight for proper balance and smooth operation.



Thermal protection, provided by a continuous thermal break (A), prevents heat loss

and metal-to-metal contact between inside and outside surfaces. An air seal (B) blocks airflow between sections.

• Cable attachments prevent accidents and injuries. The tamperresistant counterbalance cable attachment cannot be released while the cable is under tension.

Hinges, made of high-quality hot-dipped galvanized steel, feature an attractive, low-profile design and are powdercoated white to provide maximum protection against rust.



Finger protection is important to today's homeowner. As your door closes, the


exclusive Raynor Finger Protection System® gently pushes fingers away from section joints.

• Vinyl weatherseal along the bottom helps keep out wind and rain while an optional perimeter weatherseal creates a seal along the exterior top and sides of the door.

Track is adjustable so the door always fits tightly against the door opening, preventing energy loss.

Decorative Windows

Dimensions



Note: Windows are shown in one-car configurations, with the exception of Sunray Ranch and Berkshire Ranch.

Door Designs

ELEVATIONS A N D SIZES

Sizes

Heights: 6'0", 6'3", 6'6", 6'9", 7'0", 7'6", 7'9", 8'0", 8'2", 8'3", 8'5", 8'6", 8'8", 8'9", 8'11", 9'0", 9'2", 9'3", 9'5", 9'6", 9'8", 9'9", 9'11", 10'0"

Widths: 4'0" - 20'0"

STANDARD Affina doors come standard with these door designs. Colonial 6'0" – 7'0" Height 19'6" – 20'0" Width 6'0" – 7'0" Height 4'0" - 5'8" Width 5'9" - 6'11" Width 7'0" - 10'3" Width 10'4" - 13'6" Width 13'7" - 19'5" Width 7'6" - 8'9" Height 5'9" – 6'11" Width 10'4" – 13'6" Width 13'7" – 19'5" Width 19'6" – 20'0" Width 4'0" - 5'8" Width 7'0" - 10'3" Width Ranch Flush 6'0" – 7'0" Height 6'0" - 7'0" Height 13'7" - 19'5" Width 6'0" - 20'0" Width 4'0" - 5'8" Width 7'0" - 10'3" Width 10'4" - 13'6" Width 19'6" - 20'0" Width 7'6" - 8'9" Height 10'4" – 13'6" Width 4'0" - 5'8" Width 7'0" - 10'3" Width 13'7" - 19'5" Width 19'6" - 20'0" Width 6'0" - 20'0" Width Widths: 7'0" - 19'3" **OPTIONAL**

Ridgelake

6'0" – 7'0" Height 13'7" – 19'5" Width

6'0" – 7'0" Height

10'4" - 13'6" Width

7'6" – 8'9" Height 10'4" – 13'6" Width

Highcrest

Affina doors may be upgraded with these optional door designs.

Shoreland $\neg \neg$

6'0" – 7'0" Height

10'4" - 13'6" Width

Millcreek		
6'0" – 7'0" Height		

7'0" - 10'3" Width



7'0" - 10'3" Width

Ri	ve	rsi	de	

6'0" - 7'0" Height 13'7" – 19'5" Width

7'6" – 8'9" Height		

13'7" – 19'5" Width

7′6″ – 8′9″ Height 10′4″ – 13′6″ Width
Springfield
6'0" — 7'0" Height 13'7" — 19'5" Width

7'6" - 8'9" Height

13'7" - 19'5" Width

7'6" - 8'9" Height 13'7" - 19'5" Width

-	Bridge	por
	6'0" – 7'0" He	ight

10'4" – 13'6" Width



10'4" – 13'6" Width

Baypoint

6'0" – 7'0" Height 13'7" – 19'5" Width

7'6" – 8'9" Height			

13'7" – 19'5" Width

Edgewater 6'0" - 7'0" Height 13'7" - 19'5" Width

7'6" – 8'9" Height	

13'7" – 19'5" Width

Brookview

ļ
l
l
l

6'0" – 7'0" Height 13'7" – 19'5" Width

7'6" — 8'9" Height	

13'7" – 19'5" Width

Note: All Doors shown at standard sizes, actual appearance may vary. 8'11" - 10'0" high doors with 6 sections are not shown.

Visit us at www.raynor.com

Carriage House Panel Options



Capture the look of a carriage house door in a maintenance-free, energy-efficient design with two carriage house panel options – the Grooved Carriage House (below) or the No Groove Carriage House (left). The carriage house option offers the patented Raynor Finger Protection System® and an 18.0 R-Value.



Panel Sizes

.

Carriage House Panel options are available in 1-car and 2-car configurations.

Grooved Carriage House	No Groove Carriage House			

Optional Decorative Face Hardware





Bean Handles

Bear

Add character to your door with attractive decorative face hardware. The black matte powdercoated straps and handles appear hand-forged, adding a historically-accurate dimensional quality to your door. Choose from handles and 18" hinge straps with Bean or Fleur-de-lis designs.

Openers

CONVENIENT AND RELIABLE





The in-vehicle universal remote control. See your automobile dealer for availability. Raynor offers a full line of powerful, reliable, garage door openers that provide maximum security and convenience. Choose from 1/2 to 3/4 horsepower chain, belt and screw drive openers that feature advanced electronics and long-lasting performance year in and year out. With the best warranties in the industry, Raynor openers carry warranties varying from lifetime on motor to 1 year on components.

For super-quiet operation, select models featuring the Motor Vibration Isolation System, a revolutionary technology that is trouble-free. Designed to protect you and your family, safety and security features include the PosiLock[™] Security System, adjustable light delay, Protector System[®] photoelectric eyes, and Safety Signal[™] hand-held transmitters.

For more information on Raynor openers, find the authorized dealer nearest you at www.raynor.com or call 800-4-RAYNOR (472-9667).

Professional Installation DEPEND ON YOUR RAYNOR DEALER



When you select Raynor, you're not just getting a superior garage door – you're also getting professional garage door installation and service expertise.

Every Raynor garage door is installed by a trained Raynor professional. And that means added benefits for you. First, you won't have to deal with it yourself. And because it's done right the first time, your door will deliver performance and reliability from the day it's installed.

Your technician will check your door for everything from safety to performance to appearance. Trust your Raynor garage door to someone who knows it better than anyone else – your professional Raynor Dealer.

명명명명명명명		[14:43] 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전		전 단수 전 단수 전 단 건	



www.raynor.com

1-800-4-RAYNOR (472-9667)

Raynor Worldwide • P.O. Box 448, 1101 East River Road • Dixon, IL 61021-0448

This information was as complete and factual as possible at the time it was printed. We do, however, reserve the right to make product changes in specifications and availability without notice. Product colors have been reproduced as well as possible with present commercial printing processes. For absolute accuracy in color matching, use actual product samples.

Features and options may be different in countries other than the United States. Kynar® is a registered trade name of Elf Arochem, NA.